



CRANE SUSPENDED PERSONNEL PLATFORM (MANBASKET) PERMIT

DATE OF PERSONNEL PLATFORM(MANBASKET)LIFT:		FROM(TIME):	TO(TIME):	
CRANE No.:	MODEL No.:	CRANE CAPACITY:		
TOTAL LOAD WEIGHT (PERSONNEL PLATFORM MANBASKET, MEN & TOOLS): <i>(in lbs/kgs.)</i>				
SPECIFIC LIFT LOCATION:				
JOB TO BE PERFORMED:				
IS THERE ANY SAFER METHOD OF PERFORMING THIS JOB? ()YES ()NO				
IF THE ANSWER IS "YES", DO NOT PERFORM THE PERSONNEL PLATFORM (MANBASKET) LIFT!!!				
IF THE ANSWER IS "NO", COMPLETE THE FOLLOWING CHECKLIST:				
			SATISFACTORY	UNSATISFACTORY
1	Joint site inspection made by the user supervisor, crane operator, and rigger 1?			
2	Crane and personnel platform (manbasket) have valid inspection stickers?			
3	Slings and shackles in good condition and properly marked with their safe working loads (SWLs)? Shackles are safety wired or bolted and pinned? Crane hook safety latch working properly?			
4	Worker safety lanyards and tag lines properly attached and in good condition?			
5	Trial lift performed?			
6	Wind speed within the 25 km/h (15 mph – 13 knots – 7 meters/second) mandatory limits?			
7	Anti-two block device or two-block damage prevention feature operational?			
8	Crane operator is HSSE WORLD authorized and 3 rd Party certified for personnel platforms (manbaskets) lifts?			
9	Methods of communication, including hand signals, have been established?			
10	Mandatory Pre-Lift Safety Meeting conducted?			
11	Approved Work Permit, if required, issued?			
12	Approved Critical Lift Plan on site?			
13	All hazards (e.g. power-lines, wind, excavations, etc.) are controlled ?			
14	Condition(visible deterioration/damage)			

15	Lifting assembly(general conditions/shackle wired)		
16	Crane daily check completed by operator(MANDATORY)		
17	Safety sling attached(MANDATORY)		
18	Basket marked with the current color code(MANDATORY)		
19	Tag line(MANDATORY)		
20	General rules below on this form understood and briefed to all personnel as applicable		

NOTE: If there is any "unsatisfactory" answer in questions 1 - 20 above, the personnel platform (manbasket) lift cannot proceed.

PURPOSE OF LIFT:

--

CRANE OPERATOR	USER SUPERVISOR	RIGGER-I /RIGGING COMPETENT PERSON
Name:	Name:	Name:
Signature:	Signature:	Signature:
Badge No.:	Badge No.:	Badge No.:
Certificate No:		Certificate No:

PERSONNEL WHO WILL WORK IN THE MANBASKET (MUST BE GIVEN A SAFETY BRIEFING BY THE SUPERVISOR)

NAME:	NAME:	NAME:
BADGE NO.:	BADGE NO.:	BADGE NO.:

COMMENTS:

--

GENERAL RULES

Harness to be worn by all occupants and attached to the anchor point (**must** be unattached when over water)

When over water, life jacket **must** be worn.

Supervisor **must** check condition of harnesses prior to lift.

Crane operator **must** have a positive line of vision to work basket signaling purposes. Where this is not possible, signalmen and /or radios **must** be used for communication.

Tagline operators **must not** loop line around hands and must be careful not to become entangled.

Knot in tag lines are **prohibited**.

Basket **must not** be secured to any structure.

When basket is maneuvered, tag line **must** be manned.

Basket capacity **must not** exceeded.

Safety sling **must** be secured between basket and headache ball.

Personnel is not for general cargo, only reasonable and relevant tools and equipment are permitted.

Personnel **shall not** place hands outside the basket during movement.

Be vigilant for hang-ups points and protrusions that may snag basket structure.

Note:

1. *Authorization is valid on the day of preparation only*
2. *Work supervisor is the issuing authority for this authorization form*
3. **Photocopy** of completed form must be displayed on the corresponding basket.
4. **Original Copy** of completed form must be passed to Safety personnel .